

L Number	Hits	Search Text	DB	Time stamp
-	3209125	@ad<20010130	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:42
-	1373	@ad<20010130 and 713/201.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/07 09:53
-	21	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with download	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:50
-	130	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:02
-	79	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	28	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	10	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy and firewall	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:43
-	31	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:45
-	18	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	579	@ad<20010130 and client with request\$4 with download	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	3300	@ad<20010130 and client with request\$4 with (download file content)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	375	@ad<20010130 and 705/51.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:00
-	1583	((@ad<20010130 and client with request\$4 with (download file content)) and (http https)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	424	((@ad<20010130 and client with request\$4 with (download file content)) and (http https)) and client same proxy	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	18	((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway) and (server repositor\$3) with gateway	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	159	((@ad<20010130 and client with request\$4 with (download file content)) and (http https)) and client same proxy) and (server repositor\$3) with gateway	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:51
-	13	((@ad<20010130 and client with request\$4 with (download file content)) and (http https)) and client same proxy) and (verif\$4 authoriz\$5) with gateway	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:52
-	4	@ad<20010130 and 705/51.ccls.) and (servers! repositor\$4) with gateway	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:58
-	17	@ad<20010130 and 705/51.ccls.) and firewall	USPAT; US-PGPUB; IBM_TDB	2004/07/06 10:58
-	4	((@ad<20010130 and 705/51.ccls.) and (http https ftp)) and client with proxy	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:00
-	3300	@ad<20010130 and client with request\$4 with (download file content)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:11

-	3209125	@ad<20010130	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:11
-	569	(@ad<20010130 and client with request\$4 with (download file content)) and server and authenticat\$5 with (user client)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:11
-	393	((@ad<20010130 and client with request\$4 with (download file content)) and server and authenticat\$5 with (user client)) and (http https ftp)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:11
-	132	(((@ad<20010130 and client with request\$4 with (download file content)) and server and authenticat\$5 with (user client)) and (http https ftp)) and firewall	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:11
-	75	(((((ad<20010130 and client with request\$4 with (download file content)) and server and authenticat\$5 with (user client)) and (http https ftp)) and firewall) and proxy	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:11
-	53	(((((ad<20010130 and client with request\$4 with (download file content)) and server and authenticat\$5 with (user client)) and (http https ftp)) and firewall) and proxy with client	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:12
-	39	(((((ad<20010130 and client with request\$4 with (download file content)) and server and authenticat\$5 with (user client)) and (http https ftp)) and firewall) and proxy with client) and (http https) with request	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:12
-	82	(@ad<20010130 and 705/51.ccls.) and (http https ftp)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:43
-	270	@ad<20010130 and client with proxy and content same server same ((authorization verification gateway proxy) adj server)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:23
-	138	(@ad<20010130 and client with proxy and content same server same ((authorization verification gateway proxy) adj server)) and firewall	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:23
-	129	((@ad<20010130 and client with proxy and content same server same ((authorization verification gateway proxy) adj server)) and firewall) and (http https ftp)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:24
-	96	(((((ad<20010130 and client with proxy and content same server same ((authorization verification gateway proxy) adj server)) and firewall) and (http https ftp)) and (http https) with request	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:24
-	96	(((((ad<20010130 and client with proxy and content same server same ((authorization verification gateway proxy) adj server)) and firewall) and (http https ftp)) and (http https) with request) and client with (request\$2 download\$2 receiv\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:46
-	20	@ad<20010130 and 705/\$.ccls. and 713/\$.ccls. and content adj server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 12:46
-	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.	USPAT; US-PGPUB; IBM_TDB USPAT	2004/07/06 13:09
-	19	6138150.URPN.	USPAT	2004/07/06 13:09

-	39	@ad<20010130 and (((("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.) 6138150.URPN.)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:10
-	0	(@ad<20010130 and 709/119.ccls.) and (http https ftp)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:52
-	0	(@ad<20010130 and 709/119.ccls.)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:51
-	774	(@ad<20010130 and 709/219.ccls.) and (http https ftp)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:52
-	135	((@ad<20010130 and 709/219.ccls.) and (http https ftp)) and client with proxy	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:52
-	20	(((@ad<20010130 and 709/219.ccls.) and (http https ftp)) and client with proxy) and (verification authorization gateway) adj server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 13:54
-	3209167	@ad<20010130 content adj (server repositor\$3) same (verification authorization gateway) adj server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:06
-	24	@ad<20010130 and content adj (server repositor\$3) same (verification authorization gateway) adj server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:10
-	2811	@ad<20010130 and client with (request\$2 access\$2) with (file content) with server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:10
-	144	(@ad<20010130 and client with (request\$2 access\$2) with (file content) with server) and (server repositor\$3) same (verification authorization gateway) adj server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:10
-	97	((@ad<20010130 and client with (request\$2 access\$2) with (file content) with server) and (server repositor\$3) same (verification authorization gateway) adj server) and http	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:24
-	1	@ad<20010130 and content with protection and server with (authorizat\$6 verif\$7) and client with request with (content media file) same http	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:25
-	8	@ad<20010130 and content with protection and server with (authorizat\$6 verif\$7) and client with request with (content media file)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 14:30
-	0	6668246.URPN.	USPAT	2004/07/06 14:33
-	7	("4933971" "5638448" "5689566" "6275939" "6298446" "6304969" "6353892").PN.	USPAT	2004/07/06 14:35
-	6	@ad<20010130 and content adj server same gateway adj server	USPAT	2004/07/06 14:37
-	30	@ad<20010130 and content adj server same access adj server	USPAT	2004/07/06 14:37
-	8	@ad<20010130 and content adj server same authentication adj server	USPAT	2004/07/06 14:38
-	1	@ad<20010130 and content adj server same security adj server	USPAT	2004/07/06 14:39
-	77	@ad<20010130 and content adj server with connected with server	USPAT	2004/07/06 14:42
-	66	@ad<20010130 and content adj server with proxy	USPAT	2004/07/06 14:42
-	42	(@ad<20010130 and content adj server with proxy) and client with proxy	USPAT	2004/07/06 14:55
-	138	5706507.URPN.	USPAT	2004/07/06 14:54

-	12	("5347623" "5394526" "5408600" "5410691" "5493677" "5499046" "5544320" "5553221" "5557541" "5559933" "5596705" "5597307").PN.	USPAT	2004/07/06 14:54
-	138	@ad<20010130 and (5706507.URPN. (("5347623" "5394526" "5408600" "5410691" "5493677" "5499046" "5544320" "5553221" "5557541" "5559933" "5596705" "5597307").PN.))	USPAT	2004/07/06 14:55
-	99	(@ad<20010130 and (5706507.URPN. (("5347623" "5394526" "5408600" "5410691" "5493677" "5499046" "5544320" "5553221" "5557541" "5559933" "5596705" "5597307").PN.)))	USPAT	2004/07/06 14:55
-	64	and (http https ftp) (@ad<20010130 and (5706507.URPN. (("5347623" "5394526" "5408600" "5410691" "5493677" "5499046" "5544320" "5553221" "5557541" "5559933" "5596705" "5597307").PN.)))	USPAT	2004/07/06 14:55
-	4	and (http https ftp)) and client with request @ad<20010130 and content adj server same gateway with (firewall authorization)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 15:17
-	30	@ad<20010130 and content adj server same server with (firewall authorization)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:11
-	20	@ad<20010130 and content adj server same (firewall authorization) and client with request with (file content media data)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 15:45
-	1	6385596.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/06 15:46
-	16	6385596.URPN.	USPAT	2004/07/06 15:50
-	51	("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "5745568" "5754649" "5757907" "5778421" "5790677" "5794217" "5809144" "5857021" "5889860" "5892900" "5900564" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6138119" "6157721" "6185683" "6189098" "6236971" "6237786" "6240185" "6253193").PN.	USPAT	2004/07/06 15:46
-	37	@ad<20010130 and content adj distribution and authorization and clients and http	USPAT	2004/07/06 15:50
-	38	@ad<20010130 and content adj distribution and authorization and clients and (http https shttp ftp)	USPAT	2004/07/06 15:55
-	26	@ad<20010130 and content adj server with router	USPAT	2004/07/06 15:56
-	23	@ad<20010130 and content adj server with route\$2 and client with request	USPAT	2004/07/06 16:05
-	46	@ad<20010130 and content adj server and file with transfer with request	USPAT	2004/07/06 16:10
-	170	@ad<20010130 and (content file) adj server same server with (firewall authorization)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:11
-	98	(@ad<20010130 and (content file) adj server same server with (firewall authorization)) and client with request	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:11
-	93	(@ad<20010130 and (content file) adj server same server with (firewall authorization)) and gateway	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:13

-	273	@ad<20010130 and (content file media) adj servers! with (gateway router central main)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:15
-	63	@ad<20010130 and (content file media) adj servers! with (gateway router central main) and client with request with (content file media access)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:15
-	26	(@ad<20010130 and (content file media) adj servers! with (gateway router central main) and client with request with (content file media access)) and http	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:15
-	243	@ad<20010130 and (content file media) adj servers! with (gateway router central)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:15
-	55	@ad<20010130 and (content file media) adj servers! with (gateway router central) and client with request with (content file media access)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:15
-	23	(@ad<20010130 and (content file media) adj servers! with (gateway router central) and client with request with (content file media access)) and http	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:19
-	27	@ad<20010130 and server with repository with content and client with request with (file content)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:22
-	101	@ad<20010130 and (content file) adj server with (proxy gateway) adj server	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:22
-	69	(@ad<20010130 and (content file) adj server with (proxy gateway) adj server) and client with (access request)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:22
-	61	((@ad<20010130 and (content file) adj server with (proxy gateway) adj server) and client with (access request)) and (http ftp shttp https)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:36
-	51	@ad<20010130 and content adj servers! with (gateway proxy)	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:39
-	47	@ad<20010130 and content adj servers! and http with request with client	USPAT; US-PGPUB; IBM_TDB	2004/07/06 16:39
-	8	("5802301" "6052724" "6167427" "6223206" "6256675" "6324580" "6324590" "6327622").PN.	USPAT	2004/07/07 09:51
-	556	@ad<20010130 and 713/201.ccls. and 709/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:03
-	42	(@ad<20010130 and 713/201.ccls. and 709/\$.ccls.) and (content file media) adj servers!	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:02
-	556	@ad<20010130 and 713/201.ccls. and 709/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:03
-	1	(@ad<20010130 and 713/201.ccls. and 709/\$.ccls.) and appropriate with (content file media) adj servers!	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:03
-	3209125	@ad<20010130	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:03
-	51	@ad<20010130 and appropriate with (content file media) adj servers!	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:10
-	501	@ad<20010130 and client with request with file and (request with http)	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:10
-	586	@ad<20010130 and client with request\$2 with file and (request\$2 with http)	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:10
-	167	(@ad<20010130 and client with request\$2 with file and (request\$2 with http)) and servers! with (gateway proxy)	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:11

-	68	((@ad<20010130 and client with request\$2 with file and (request\$2 with http)) and servers! with (gateway proxy)) and authoriz\$6	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:12
-	28	((@ad<20010130 and client with request\$2 with file and (request\$2 with http)) and servers! with (gateway proxy)) and authoriz\$6) not CGI	USPAT; US-PGPUB; IBM_TDB	2004/07/07 10:12